

## INDEX TO VOLUME 9

### AUTHORS

- AGUIAR, L. M. S., and J. MARINHO-FILHO  
Bat frugivory in a remnant of Southeastern Brazilian Atlantic forest, 251
- AKINS, J. B., M. L. KENNEDY, G. D. SCHNELL, C. SÁNCHEZ-HERNÁNDEZ, M. DE LOURDES ROMERO-ALMARAZ, M. C. WOOTEN, and T. L. BEST  
Flight speeds of three species of Neotropical bats: *Glossophaga soricina*, *Natalus stramineus*, and *Carollia subrufa*, 477
- ALVES, P. C.  
see SIMÕES, B. F., 379
- AMENGUAL, B., M. LÓPEZ-ROIG, and J. SERRA-COBO  
First record of seasonal over sea migration of *Miniopterus schreibersii* and *Myotis capaccinii* between Balearic Islands (Spain), 319
- ANDRIAFIDISON, D., A. KOFOKY, T. MBOHOAHY, P. A. RACEY, and R. K. B. JENKINS  
Diet, reproduction and roosting habits of the Madagascar free-tailed bat, *Otomops madagascariensis* Dorst, 1953 (Chiroptera: Molossidae), 445
- APLING, M. M.  
see HOXENG, C. M., 161
- ARBUTHNOTT, D., and R. M. BRIGHAM  
The influence of a local temperature inversion on the foraging behaviour of big brown bats, *Eptesicus fuscus*, 193
- ARROYO-CABRALES, J.  
see ELIZALDE-ARELLANO, C., 314
- BARTONIČKA, T., and Z. ŘEHÁK  
Influence of the microclimate of bat boxes on their occupation by the soprano pipistrelle *Pipistrellus pygmaeus*: possible cause of roost switching, 517
- BATES, P. J. J., S. J. ROSSITER, A. SUYANTO, and T. KINGSTON  
A new species of *Hipposideros* (Chiroptera: Hipposideridae) from Sulawesi, 13
- BATES, P. J. J., M. J. STRUEBIG, B. D. HAYES, N. M. FUREY, KHIN MYA MYA, VU DINH THONG, PHAM DUC TIEN, NGUYEN TROUNG SON, D. L. HARRISON, C. M. FRANCIS, and G. CSORBA  
A new species of *Kerivoula* (Chiroptera: Vespertilionidae) from Southeast Asia, 323
- BATES, P. J. J.  
see SOISOOK, P., 339
- BEST, T. L.  
see AKINS, J. B., 477
- BIEDERMANN, M.  
see NIERMANN, I., 361
- BOEGLER, K. A.  
see LARSEN, R. J., 423
- BOGDANOWICZ, W.  
see NIERMANN, I., 361
- BOLDOGH, S., D. DOBROSI, and P. SAMU  
The effects of the illumination of buildings on house-dwelling bats and its conservation consequences, 527
- BOYLES, J. G.  
Describing roosts used by forest bats: the importance of microclimate, 297
- BOYLES, J. G., B. L. WALTERS, J. O. WHITAKER, JR., and J. B. COPE  
A reanalysis of apparent survival rates of Indiana myotis (*Myotis sodalis*), 127
- BOWEN, R. A.  
see ELLISON, L. E., 149
- BRIGHAM, R. M.  
see ARBUTHNOTT, D., 193  
see SWYSTUN, M. B., 183
- BRINKMANN, R.  
see NIERMANN, I., 361
- BRYJA, J.  
see KAŃUCH, P., 277
- BUMRUNGSRI, S.  
see SOISOOK, P., 339
- CADENILLAS, R.  
see PACHECO, V., 409
- CAO, M.  
see TANG, Z., 229
- CAPOTE, R. T.  
see MANCINA, C. A., 203
- CASTILLO-CAMPOS, G.  
see CASTRO-LUNA, A. A., 219
- CASTRO-LUNA, A. A., V. J. SOSA, and G. CASTILLO-CAMPOS

- Quantifying phyllostomid bats at different taxonomic levels as ecological indicators in a disturbed tropical forest, 219
- CIECHANOWSKI, M.  
see NIERMANN, I., 361
- COPE, J. B.  
see BOYLES, J. G., 127
- COSTA, P.  
see GONÇALVES, F., 535
- CSORBA, G.  
see BATES, P. J. J., 323  
see SOISOOK, P., 339
- DEHNHARD, M.  
see VOIGT, C. C., 463
- DEJTARADOL, A.  
see SOISOOK, P., 339
- DENZINGER, A.  
see VOS, A., 283
- DESROCHE, K., M. B. FENTON, and W. C. LANCASTER  
Echolocation and the thoracic skeletons of bats: a comparative morphological study, 483
- DIETZ, C.  
see NIERMANN, I., 361
- DIETZ, I.  
see NIERMANN, I., 361
- DOBROSI, D.  
see BOLDOGH, S., 527
- DODD, L., E. and M. J. LACKI  
Prey consumed by *Corynorhinus townsendii ingens* in the Ozark Mountain region, 451
- DUNBAR, M. B., J. O. WHITAKER, JR., and L. W. ROBBINS  
Winter feeding by bats in Missouri, 305
- ELIZALDE-ARELLANO, C., J. C. LÓPEZ-VIDAL, J. ARROYO-CABRALES, R. A. MEDELLÍN, and J. W. LAUNDRE  
Food sharing behavior in the hairy-legged vampire bat *Diphylla ecaudata*, 314
- ELLISON, L. E., T. J. O'SHEA, D. J. NEUBAUM, M. A. NEUBAUM, R. D. PEARCE, and R. A. BOWEN  
A comparison of conventional capture versus PIT reader techniques for estimating survival and capture probabilities of big brown bats (*Eptesicus fuscus*), 149
- EMERSON, J. K., and A. M. ROARK  
Composition of guano produced by frugivorous, sanguivorous, and insectivorous bats, 261
- ESTÓK, P.  
see NIERMANN, I., 361
- FA, J. E.  
see JUSTE, J., 27
- FAJARDO, U.  
see PACHECO, V., 409
- FENTON, M. B.  
see DESROCHE, K., 483  
see SOPER, K. D., 542
- FERRÁNDEZ, A.  
see JUSTE, J., 27
- FISCHER, E.  
see GONÇALVES, F., 535
- FOOKS, A. R.  
see VOS, A., 283
- FRANCIS, C. M., T. KINGSTON, and A. ZUBAID  
A new species of *Kerivoula* (Chiroptera: Vespertilionidae) from peninsular Malaysia, 1
- FRANCIS, C. M.  
see BATES, P. J. J., 323  
see SOISOOK, P., 339
- FUREY, N. M.  
see BATES, P. J. J., 323
- GARCÍA-RIVERA, L.  
see MANCINA, C. A., 203
- GENOWAYS, H. H., P. A. LARSEN, S. C. PEDERSEN, and J. J. HUEBSCHMAN  
Bats of Saba, Netherlands Antilles: a zoogeographic perspective, 97
- GENOWAYS, H. H.  
see LARSEN, R. J., 423
- GONÇALVES, F., R. MUNIN, P. COSTA, and E. FISCHER  
Feeding habits of *Noctilio albiventris* (Noctilionidae) bats in the Pantanal, Brazil, 535
- GOODMAN, S. M., and F. H. RATRIMOMANARIVO  
The taxonomic status of *Chaerephon pumilus* from the western Seychelles: resurrection of the name *C. pusillus* for an endemic species, 391
- GOODMAN, S. M.  
see RAJEMISON, B., 311
- GUILLÉN-SERVENT, A.  
see SOISOOK, P., 339
- HÁJKOVÁ, P.  
see KAŇUCH, P., 277
- HARRIS, D. J.  
see SIMÕES, B. F., 379
- HARRISON, D. L.  
see BATES, P. J. J., 323
- HAUPT, M., and S. SCHMIDT  
Small scale activity patterns of *Eptesicus nilssonii* – an indication of habitat preference or interspecific processes?, 503
- HAYES, B. D.  
see BATES, P. J. J., 323
- HOXENG, C. M., M. M. APLING, P. I. RITSON, and C. V. PORTFORS  
Light tagging disrupts social dynamics of bat harems, 161
- HUEBSCHMAN, J. J.  
see GENOWAYS, H. H., 97
- IBÁÑEZ, C.  
see JUSTE, J., 27

- IZAWA, M.  
see NAKAMOTO, A., 237
- JENKINS, R. K. B.  
see ANDRIAFIDISON, D., 445
- JOHNSON, N.  
see VOS, A., 283
- JUSTE, J., A. FERRÁNDEZ, J. E. FA, W. MASEFIELD, and C. IBÁÑEZ  
Taxonomy of little bent-winged bats (*Miniopterus*, *Miniopteridae*) from the African islands of São Tomé, Grand Comoro and Madagascar, based on mtDNA, 27
- KAIPF, I.  
see VOS, A., 283
- KAŇUCH, P., P. HÁJKOVÁ, Z. ŘEHÁK, and J. BRYJA  
A rapid PCR-based test for species identification of two cryptic bats *Pipistrellus pipistrellus* and *P. pygmaeus* and its application on museum and dropping samples, 277
- KENNEDY, M. L.  
see AKINS, J. B., 477
- KHIN MYA MYA,  
see BATES, P. J. J., 323
- KINGSTON, T.  
see BATES, P. J. J., 13  
see FRANCIS, C. M., 1
- KINJO, K.  
see NAKAMOTO, A., 237
- KIRSCH, R. A.  
see LARSEN, R. J., 423
- KOFOKY, A.  
see ANDRIAFIDISON, D., 445
- KURTA, A., and G. KWIECINSKI  
The square-eared anomaly in New World *Myotis*, 495
- KWIECINSKI, G.  
see KURTA, A., 495
- LACKI, M. J.  
see DODD, L. E., 451
- LANCASTER, W. C.  
see DESROCHE, K., 483
- LANE, J. E.  
see SWYSTUN, M. B., 183
- LARSEN, R. J., K. A. BOEGLER, H. H. GENOWAYS, W. P. MASEFIELD, R. A. KIRSCH, and S. C. PEDERSEN  
Mist netting bias, species accumulation curves, and the rediscovery of two bats on Montserrat (Lesser Antilles), 423
- LARSEN, P. A.  
see GENOWAYS, H. H., 97
- LAUNDRÉ, J. W.  
see ELIZALDE-ARELLANO, C., 314
- LE BRIS, Y.  
see NIERMANN, I., 361
- LE HOUÉDEC, A.  
see NIERMANN, I., 361
- LOPES, R. J.  
see SIMÕES, B. F., 379
- LÓPEZ-ROIG, M.  
see AMENGUAL, B., 319
- LÓPEZ-VIDAL, J. C.  
see ELIZALDE-ARELLANO, C., 314
- LUTZ, M. A.  
see MERINO, M. L., 401
- MA, J.  
see TANG, Z., 229
- MA, X.  
see TANG, Z., 229
- MAKARIKOVA, T. A.  
see TIUNOV, M. P., 538
- MANCINA, C. A., L. GARCÍA-RIVERA, and R. T. CAPOTE  
Habitat use by phyllostomid bat assemblages in secondary forests of the 'Sierra del Rosario' Biosphere Reserve, Cuba, 203
- MARIMUTHU, G.  
see RAGHURAM, H., 437
- MARINHO-FILHO, J.  
see AGUIAR, L. M. S., 251
- MASEFIELD, W. P.  
see JUSTE, J., 27  
see LARSEN, R. J., 423
- MATHY, G.  
see PUECHMAILLE, S. J., 269
- MAYER, F.  
see NIERMANN, I., 361
- MBOHOAHY, T.  
see ANDRIAFIDISON, D., 445
- MEDELLÍN, R. A.  
see ELIZALDE-ARELLANO, C., 314
- MERINO, M. L., M. A. LUTZ, D. H. VERZI, and E. P. TONNI  
The fishing bat *Noctilio* (Mammalia, Chiroptera) in the Middle Pleistocene of central Argentina, 401
- MICHALAK, M.  
see ULRICH, W., 347
- MÜLLER, T.  
see VOS, A., 283
- MUNIN, R.  
see GONÇALVES, F., 535
- NAKAMOTO, A., K. KINJO, and M. IZAWA  
Food habits of Orii's flying-fox, *Pteropus dasy-mallus inopinatus*, in relation to food availability in an urban area of Okinawa-jima Island, the Ryukyu Archipelago, Japan, 237
- NEUBAUM, D. J.  
see ELLISON, L. E., 149
- NEUBAUM, M. A.  
see ELLISON, L. E., 149

- NGUYEN TROUNG SON,  
see BATES, P. J. J., 323
- NIERMANN, I., M. BIEDERMANN, W. BOGDANOWICZ, R. BRINKMANN, Y. LE BRIS, M. CIECHANOWSKI, C. DIETZ, I. DIETZ, P. ESTÓK, O. VON HELVERSEN, A. LE HOUÉDEC, S. PAKSUZ, B. P. PETROV, B. ÖZKAN, K. PIKSA, A. RACHWALD, S. Y. ROUÉ, K. SACHANOWICZ, W. SCHORCHT, A. TEREBA, and F. MAYER  
Biogeography of the recently described *Myotis alcatthoe* von Helversen and Heller, 2001, 361
- ORMSBEE, P. C.  
see WELLER, T. J., 133
- O'SHEA, T. J.  
see ELLISON, L. E., 149
- ÖZKAN, B.  
see NIERMANN, I., 361
- PACHECO, V., R. CADENILLAS, S. VELAZCO, E. SALAS, and U. FAJARDO  
Noteworthy bat records from the Pacific Tropical rainforest region and adjacent dry forest in northwestern Peru, 409
- PAKSUZ, S.  
see NIERMANN, I., 361
- PALMEIRIM, J. M.  
see ZAHN, A., 115
- PARSONS, S.  
see TANG, Z., 229
- PEARCE, R. D.  
see ELLISON, L. E., 149
- PEDERSEN, S. C.  
see GENOWAYS, H. H., 97  
see LARSEN, R. J., 423
- PETTIT, E. J.  
see PUECHMAILLE, S. J., 269
- PETROV, B. P.  
see NIERMANN, I., 361
- PHAM DUC TIEN,  
see BATES, P. J. J., 323
- PIKSA, K.  
see NIERMANN, I., 361
- PORTFORS, C. V.  
see HOXENG, C. M., 161
- PUECHMAILLE, S. J., G. MATHY, and E. J. PETTIT  
Good DNA from bat droppings, 269
- RACEY, P. A.  
see ANDRIAFIDISON, D., 445
- RACHWALD, A.  
see NIERMANN, I., 361
- RAGHURAM, H., and G. MARIMUTHU  
Maternal feeding of offspring with vertebrate prey in captive Indian false vampire bat, *Megaderma lyra*, 437
- RAINHO, A.  
Summer foraging habitats of bats in a Mediterranean region of the Iberian Peninsula, 171
- RAINHO, A.  
see ZAHN, A., 115
- RAJEMISON, B., and S. M. GOODMAN  
The diet of *Myzopoda schliemanni*, a recently described Malagasy endemic, based on scat analysis, 311
- RATRIMOMANARIVO, F. H.  
see GOODMAN, S. M., 391
- REBELO, H.  
see SIMÕES, B. F., 379
- ŘEHÁK, Z.  
see BARTONIČKA, T., 517  
see KAŇUCH, P., 277
- RITSON, P. I.  
see HOXENG, C. M., 161
- ROARK, A. M.  
see EMERSON, J. K., 261
- ROBBINS, L. W.  
see DUNBAR, M. B., 305
- RODHOUSE, T. J.  
see WELLER, T. J., 133
- RODRIGUES, L.  
see ZAHN, A., 115
- ROMERO-ALMARAZ, M. DE LOURDES  
see AKINS, J. B., 477
- ROSSITER, S. J.  
see BATES, P. J. J., 13
- ROUÉ, S. Y.  
see NIERMANN, I., 361
- SACHANOWICZ, K.  
see NIERMANN, I., 361  
see ULRICH, W., 347
- SALAS, E.  
see PACHECO, V., 409
- SAMONDS, K. E.  
Late Pleistocene bat fossils from Anjohibe Cave, northwestern Madagascar, 39
- SAMU, P.  
see BOLDOGH, S., 527
- SÁNCHEZ-HERNÁNDEZ, C.  
see AKINS, J. B., 477
- SCHMIDT, S.  
see HAUPT, M., 503
- SCHNELL, G. D.  
see AKINS, J. B., 477
- SCHORCHT, W.  
see NIERMANN, I., 361
- SCOTT, S. A.  
see WELLER, T. J., 133
- SERRA-COBO, J.  
see AMENGUAL, B., 319
- SHENG, L.  
see TANG, Z., 229

- SIMÕES, B. F., H. REBELO, R. J. LOPES, P. C. ALVES, and D. J. HARRIS  
Patterns of genetic diversity within and between *Myotis d. daubentonii* and *M. d. nathalinae* derived from cytochrome *b* mtDNA sequence data, 379
- SOISOOK, P., S. BUMRUNGRI, A. DEJTARADOL, C. M. FRANCIS, G. CSORBA, A. GUILLÉN-SERVENT, and P. J. J. BATES  
First records of *Kerivoula kachinensis* (Chiroptera: Vespertilionidae) from Cambodia, Lao PDR and Thailand, 339
- SOPER, K. D., and M. B. FENTON  
Availability of building roosts for bats in four towns in southwestern Ontario, Canada, 542
- SOSA, V. J.  
see CASTRO-LUNA, A. A., 219
- STREICH, W. J.  
see VOIGT, C. C., 463
- STRUEBIG, M. J.  
see BATES, P. J. J., 323  
see SUYANTO, A., 67
- SUYANTO, A., and M. J. STRUEBIG  
Bats of the Sangkulirang limestone karst formations, East Kalimantan — a priority region for Bornean bat conservation, 67
- SUYANTO, A.  
see BATES, P. J. J., 13
- SWYSTUN, M. B., J. E. LANE, and R. M. BRIGHAM  
Cavity roost site availability and habitat use by bats in different aged riparian cottonwood stands, 183
- TANG, Z., L. SHENG, X. MA, M. CAO, S. PARSONS, J. MA, and S. ZHANG  
Temporal and spatial patterns of seed dispersal of *Musa acuminata* by *Cynoptyerus sphinx*, 229
- TEREBA, A.  
see NIERMANN, I., 361
- TIUNOV, M. P., and T. A. MAKARIKOVA  
Seasonal molting in *Myotis petax* (Chiroptera) in the Russian Far East, 538
- TONNI, E. P.  
see MERINO, M. L., 401
- ULRICH, W., K. SACHANOWICZ, and M. MICHALAK  
Environmental correlates of species richness of European bats (Mammalia: Chiroptera), 347
- VELAZCO, S.  
see PACHECO, V., 409
- VERZI, D. H.  
see MERINO, M. L., 401
- VOIGT, C. C., W. J. STREICH, and M. DEHNHARD  
Assessment of fecal testosterone metabolite analysis in free-ranging *Saccopteryx bilineata* (Chiroptera: Emballonuridae), 463
- VON HELVERSEN, O.  
see NIERMANN, I., 361
- VOS, A., I. KAIPF, A. DENZINGER, A. R. FOOKS, N. JOHNSON, and T. MÜLLER  
European bat lyssaviruses — an ecological enigma, 283
- VU DINH THONG,  
see BATES, P. J. J., 323
- WALTERS, B. L.  
see BOYLES, J. G., 127
- WELLER, T. J., S. A. SCOTT, T. J. RODHOUSE, P. C. ORMSBEE, and J. M. ZINCK  
Field identification of the cryptic vespertilionid bats, *Myotis lucifugus* and *M. yumanensis*, 133
- WHITAKER, J. O., JR.  
see BOYLES, J. G., 127  
see DUNBAR, M. B., 305
- WOOTEN, M. C.  
see AKINS, J. B., 477
- ZAHN, A., L. RODRIGUES, A. RAINHO, and J. M. PALMEIRIM  
Critical times of the year for *Myotis myotis*, a temperate zone bat: roles of climate and food resources, 115
- ZHANG, S.  
see TANG, Z., 229
- ZINCK, J. M.  
see WELLER, T. J., 133
- ZUBAID, A.  
see FRANCIS, C. M., 1